

Uitleg code samenstelling:

H72/15SL
 72 = 72 mm hoog
 15 = 1500 mm lang
 SL = verbrede uitvoering

CODE	DRAAGVERMOGEN BIJ WIELBASIS			PUNT BELASTING	LENGTE MM	BREEDTE INT. MM	BREEDTE UITW MM	GEWICHT PER SET
	750	1000	1250					
H30/10-3	1180	1575	1800	600	1000	600	600	12
H30/10-4	1180	1575	1800	600	1000	800	800	16
H30/15	1180	1575	1800	595	1500	200	200	10
H30/15-2	1180	1575	1800	595	1500	400	400	10
H30/15-3	1180	1575	1800	595	1500	600	600	15
H30/15-4	1180	1575	1800	595	1500	800	800	20
H30/15-4 P	490	490	490	490	1500	800	800	21
H30/20	775	930	1160	490	2000	200	200	16
H30/20 P	490	490	490	490	2000	200	200	16
H30/20-2	775	930	1160	445	2000	400	400	26
H30/20-4	775	930	1160	445	2000	800	800	54
H30-25	565	650	755	350	2500	200	200	16
H30/25 P	385	385	385	385	2500	200	200	19
H30/25-2	565	650	755	350	2500	400	400	32
H30/30	440	490	550	290	3000	200	200	20
H30/30-2	490	550	550	290	3000	400	400	40
H50/15S	2250	2250	2250	900	1500	250	320	18
H50/20S	1800	2250	2250	900	2000	250	320	24
H50/25S	1500	1800	2250	750	2500	250	320	30
H50/30S	1200	1380	1587	750	3000	250	320	36
H50/35S	950	1050	1160	450	3500	250	320	42
H50/40S	750	825	900	450	4000	250	320	48
H60/15S	1750	1750	1750	1750	1500	300	300	19
H60/20S	1700	1700	1700	1500	2000	300	300	25
H60/25S	1650	1700	1700	1500	2500	300	300	30
H60/30S	1250	1405	1610	1430	3000	300	300	36
H60/35S	990	1090	1215	1220	3500	300	300	41

CODE	DRAAGVERMOGEN			PUNT BELASTING	LENGTE MM	BREEDTE INT. MM	BREEDTE UITW MM	GEWICHT PER SET
	BIJ WIELBASIS							
	750	1000	1250					
H72/15S	1685	1685	1685	1685	1500	250	310	18
H72/19S	1600	1600	1600	1265	1900	250	310	20
H72/20 STG	1600	1600	1600	1265	2000	250	310	23
H72/20S	1600	1600	1600	1265	2000	250	310	23
H72/25S	1360	1590	1600	1010	2500	250	310	28
H72/30S	1050	1180	1350	840	3000	250	310	33
H72/35S	849	936	1036	715	3500	250	310	39
H72/15SL	1685	1685	1685	1685	1500	450	510	24
H72/20SL	1600	1600	1600	1265	2000	450	510	30
H72/25SL	1360	1590	1600	1010	2500	450	510	36
H72/30SL	1050	1180	1350	840	3000	450	510	43
H72/35SL	849	936	1036	715	3500	450	510	50
H100/20S	3000	3000	3000	1500	2000	300	370	36
H100/25S	3000	3000	3000	1500	2500	300	370	41
H100/30S	2150	2450	2850	1440	3000	300	370	49
H100/32S	1800	2100	2450	1340	3200	300	370	51
H100/35S	1700	1900	2150	1235	3500	300	370	55
H100/40S	1400	1530	1680	1230	4000	300	370	62
H110/25S	3600	3600	3600	2230	2500	305	385	41
H110/30S	2790	3190	3450	1860	3000	305	385	49
H110/32S	2530	2860	3280	1745	3200	305	385	51
H110/35S	2200	2460	2770	1590	3500	305	385	55
H110/40S	1830	2000	2200	1590	4000	305	385	62
H125/25S	4110	4110	4110	2055	2500	320	400	50
H125/30S	3900	3900	3900	2055	3000	320	400	61
H125/32S	3600	3900	3900	2055	3200	320	400	65
H125/35S	3200	3500	3900	2055	3500	320	400	69
H125/40S	2600	2800	3100	2050	4000	320	400	80
H125/25SL	4110	4110	4110	2055	2500	350	430	51
H125/30SL	3900	3900	3900	2055	3000	350	430	62
H125/32SL	3600	3900	3900	2055	3200	350	430	66
H125/35SL	3200	3500	3900	2055	3500	350	430	71
H125/40SL	2600	2800	3100	2050	4000	350	430	81

CODE	DRAAGVERMOGEN BIJ WIELBASIS			PUNT BELASTING	LENGTE MM	BREEDTE INT. MM	BREEDTE UITW MM	GEWICHT PER SET
	750	1000	1250					
H135/25S	4890	6500	7200	3500	2500	310	390	66
H135/30S	4890	6500	7200	3285	3000	310	390	71
H135/32S	4400	5700	6800	3075	3200	310	390	76
H135/35S	3890	4800	6400	2810	3500	310	390	81
H135/40S	3200	3800	4800	2805	4000	310	390	94
H135/45S	2700	3200	3800	2490	4500	310	390	105
H135/30SL	4890	6500	7200	3285	3000	340	420	74
H135/32SL	4400	5700	6800	3075	3200	340	420	78
H135/35SL	3890	4800	6400	2810	3500	340	420	84
H135/40SL	3200	3800	4800	2805	4000	340	420	98
H135/45SL	2700	3200	3800	2490	4500	340	420	108
H135/30SL1	4890	6500	7200	3285	3000	390	470	77
H135/32SL1	4400	5700	6800	3075	3200	390	470	81
H135/35SL1	3890	4800	6400	2810	3500	390	470	87
H135/40SL1	3200	3800	4800	2805	4000	390	470	101
H135/45SL1	2700	3200	3800	2490	4500	390	470	112
H175/35S	6960	7955	8719	4240	3500	400	480	99
H175/40S	5520	6135	6900	4230	4000	400	480	112
H175/45S	4555	4970	5465	3755	4500	400	480	123
H175/50S	3860	4155	4505	3370	5000	400	480	135
H175/35SL	6960	7955	8719	4240	3500	500	580	108
H175/40SL	5520	6135	6900	4230	4000	500	580	123
H175/45SL	4555	4970	5465	3755	4500	500	580	135
H175/50SL	3860	4155	4505	3370	5000	500	580	148
H190/35S	9700	10450	10450	5865	3500	500	610	132
H190/40S	7700	8580	9650	5855	4000	500	610	152
H190/45S	6400	6980	7680	5200	4500	500	610	167
H190/50S	5450	5870	6360	4675	5000	500	610	184
H220/40S	12000	12000	12000	8350	4000	500	620	169
H220/45S	9600	12000	12000	7415	4500	500	620	186
H220/50S	8175	8800	9535	6670	5000	500	620	206